



POLY OBi VVX 350 6-Line and PoE-enabled IP phone Black 6 lines LED

Brand : POLY

Product code: 89B59AA

Product name : Poly OBi VVX 350 6-Line IP Phone and PoE-enabled

Poly OBi VVX 350 6-Line IP Phone and PoE-enabled

POLY OBi VVX 350 6-Line and PoE-enabled IP phone Black 6 lines LED:

Sound your best

Welcome to the big leagues with this high-quality, color, six-line business IP phone that gets the job done. For high-volume call environments that demand reliability, the Poly VVX 350 desk phone won't let you down.


POLY OBi VVX 350 6-Line IP Phone and PoE-enabled. Product type: IP Phone, Product colour: Black, Handset type: Wired handset. Lines quantity: 6 lines. Display: LED, Display diagonal: 8,89 cm (3.5"), Display resolution: 320 x 240 pixels. Voice codecs: G.711, G.722, G.722.1, G.729ab, iLBC. Ethernet LAN interface type: Gigabit Ethernet, Ethernet LAN data rates: 10,100,1000 Mbit/s, Security algorithms: 802.1x RADIUS, HTTPS, TLS



Design		Network	
Product type *	IP Phone	Syslog	✓
Handset type	Wired handset	Technical details	
Product colour *	Black	Warranty period	1 year(s)
Phone features		Ports & interfaces	
Lines quantity *	6 lines	USB 2.0 ports quantity	2
Call waiting	✓	Ethernet LAN (RJ-45) ports	2
Distinctive ring	✓	Certificates	
Speed dialling	✓	Sustainability certificates	ENERGY STAR
Call hold	✓	Safety	UL 60950-1/62368-1, CE Mark, CAN/CSA C22.2 No 60950-1/62368-1-1, EN 60950-1/62368-1, IEC 60950-1/62368-1, AS/NZS 60950-1
Call forwarding	✓		FCC Part 15 (CFR 47) Class B ICES-003 Class B EN55032 Class B CISPR32 Class B VCCI Class B EN55024 EN61000-3-2; EN61000-3-3 NZ Telepermit Korea KCC3 UAE TRA Russia CU3 Brazil ANATEL3 Australia RCM South Africa ICASA3 Saudi Arabia CITC China CCC3 RoHS Compliant TAA
Conference call	✓	Certification	
Redialing	✓		
Do not disturb function	✓		
Call transfer	✓		
Display		Power	
Display	LED	Power over Ethernet (PoE) *	✓
Display diagonal	8,89 cm (3.5")	AC adapter output voltage	5 V
Display resolution	320 x 240 pixels	AC adapter output current	3 A
Touchscreen *	✗	Operational conditions	
Audio		Operating temperature (T-T)	0 - 40 °C
Speakerphone *	✓	Operating relative humidity (H-H)	5 - 95%
Voice codecs	G.711, G.722, G.722.1, G.729ab, iLBC	Storage temperature (T-T)	-40 - 70 °C
Voice activity detection	✓	Weight & dimensions	
Comfort noise generation (CNG)	✓	Width	233 mm
Network		Depth	62 mm
Ethernet LAN *	✓	Height	262 mm
Ethernet LAN interface type	Gigabit Ethernet	Weight	1,04 kg
Ethernet LAN data rates	10,100,1000 Mbit/s		
Security algorithms	802.1x RADIUS, HTTPS, TLS		

Packaging content

Number of handles included *	1 pc(s)
AC adapter included	✓



0196188444429



196188444429

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 08-MAR-2024. Prints or copies of Information are only valid on the printed Publication date