

PoE Injector

MODEL: POE150S Datasheet

Features


- Complies with IEEE802.3af standard
- Cost saving, no power cabling for Ethernet network device
- Delivers power and data over the single cable up to 100 meters
- Advanced Auto-Sensing Algorithm enables providing power with 802.3af PD
- Supports power classification, Auto-determine the necessary power requirements
- High safety with Short Circuit Protection
- Plug & Play installation, requires no configuration
- External 48VDC power supply




Overview

The PoE Injector POE150S (TL-POE150S) fully complies with IEEE 802.3af standard, and can work with all IEEE 802.3af PoE compliant PDs (Powered Devices) or PoE Receiver Adapters, such as TP-LINK's POE10R, or other equivalent product, to expand your network to where there are no power line or outlet, where you wish to fix device such as AP, IP Camera or IP Phone, etc.

Specifications

Product Picture	
Model	POE150S
Standards	IEEE802.3, IEEE802.3u, IEEE802.3ab, IEEE802.3af
Ports	1 10/100/1000Mbps Auto-Negotiation RJ45 LAN port(LAN IN) 1 10/100/1000Mbps Auto-Negotiation RJ45 PoE port(POWER+DATA OUT) 1 power socket(DC IN)
Network Media	10BASE-T: UTP category 3, 4, 5 cable (maximum 100m) EIA/TIA-568 100Ω STP (maximum 100m) 100BASE-TX: UTP category 5, 5e cable (maximum 100m) EIA/TIA-568 100Ω STP (maximum 100m) 1000BASE-T: UTP category 5, 5e, 6 cable(maximum 100m)
Basic Function	Auto-Sensing Algorithm enables providing power with 802.3af PD Delivers power and data over the single cable up to 100 meters Auto-determine the necessary power requirements Plug-and-Play
Power	Input: External 48VDC power adapter Output: Auto-determine the necessary Power requirements(max. 15.4W)
Dimensions (W x D x H)	80.8 x 54 x 24mm
Certification	FCC, CE, RoHS
Package Contents	POE150S, Power Adapter, RJ45 cable, Installation Guide
Environment	Operating Temperature: 0°C~40°C (32°F~104°F) Storage Temperature: -40°C~70°C (-40°F~158°F) Operating Humidity: 10%~90%RH non-condensing Storage Humidity: 5%~90%RH non-condensing

Diagram



www.tp-link.com

© 2024 TP-Link